


# 3.13 termostati



3.13.1 Termostati cottura a gas  
3.13.2 Termostati cottura elettrici



Codice: C00031025

## TERMOSTATI COTTURA A GAS

Codice	N. vie	Temperatura	Valvolato	Su modelli	Sostituisce il
C00031025	2	120/180°C	SI	A5/L40, A6/L40, CG70 - 72, C520 - 540 - 544 - 545 - 5451 - 615 - 640 - 645 - 647 - 947 - 955, G40 - 500 - 540 - 640 - 94, KL40, K642 - 645 - 647 - 940, L400 - 401, MX40, P40	•
C00031680	2	120/180°C	•	C515 - 540 - 545 - 640 - 945 - 954 - 96 - 9601 - 980, G40 - 400 - 521 - 531 - 540 - 545 - 640 - 94 - 942 - 960, KG5403 - 9402 - 9413 - 9504 - 9605, K640 - 647 - 952 - 960 - 962, MC40, PBL40	•
C00040080	2	53/60°C	•	H540, KG5402 - 5403 - 5406 - 6401 - 6406 - 9404 - 9406 - 9413 - 9507 - 9603, KN3401 - 5401 - 5402 - 6400 - 6404 - 8401 - 8421 - 8501 - 8501 - 8601	•
C00040905	2	120/180°C	•	C055 - 057 - 065, G84, KGM9501 - 9503 - 9505, KM50 - 52	•
C00044982	2	120/180°C	SI	C340, G440, KC3401B, KG3407 - 4401	•
C00046767	1	120/180°C	•	C540 - 542 - 5441 - 545 - 642 - 644 - 645 - 647 - 940 - 95 - 967 - 970 - 980, FG211, G540 - 640 - 731 - 740 - 94 - 940 - 941 - 942 - 950, KG7405 - 9401 - 9404 - 9411, K640 - 642 - 643 - 644 - 645 - 940 - 942 - 970	•
C00047785	2	125°C	SI	FARC1544, G640, KG2403 - 2404 - 5401 - 5402 - 5403 - 5406 - 5407 - 6312 - 6400 - 6403 - 6405 - 6407 - 6409, KN6401, 6004L	•
C00053770	1	120/180°C	•	C065 - 067, G84 - 840	•
C00081039	1	120/180°C	SI	C344 - 345	•
C00081145	1	49°C	•	C642 - 647, K640 - 641 - 642 - 644 - 645	•
C00081465	1	160/220°C	SI	C14, KJ3 - 14 - 3 - 34 - 340 - 341 - 342 - 343	•
C00081476	2	160/220°C	SI	C615 - 640 - 645 - 647, K642	•
C00082339	2	160/220°C	SI	C34 - 345 - 347, K1G21, K3G2 - 210, K340 - 341 - 342 - 343	•
C00084906	1	160/220°C	SI	C14 - 247 - 34 - 347, K1G2 - 21, K140 - 1404 - 3410 - 342 - 344 - 345 - 346	•
C00086355	1	160/220°C	SI	C346 - 347 - 35, K3G21	•
C00090016	2	160/220°C	•	K647	•
C00090076	1	160/220°C	•	K64 - 640 - 641 - 642	•
C00091830	1	45°C	SI	CP057 - 058 - 647 - 757 - 857	•
C00108976	1	120/180°C	SI	CG64, K6G20 - 21	•
C00119829	1	160/220°C	SI	KD3G2	•
C00144014	2	60°C	SI	C 65 G1	C00099256
C00144541	2	120/180°C	SI	K342 - 244 - 245 - 246 - 142 - 34 - 344, C345 - 320 - 347	C00082967
C00144542	2	60°C	SI	C64, K6G21 - 210	C00109682
C00144543	1	120/180°C	SI	K6G20 - G21	C00111314
C00144544	1	120/180°C	SI	CJ32 - 22	C00116262
C00145021	1	120/180°C	•	FB G, FR G, FG 10, CISFBG	C00082740
C00145612	•	130°C	•	MG21	•



Codice: C00052582

TERMOSTATI COTTURA ELETTRICI

Codice	Ampere	Volt	Temperatura	Su modelli
C00010216	16A	250V	150°C	A2010, A5 - S42E3 - 70, A6 - L31E3 - 70, I - L04E, KG5222, KL04 - 31 - 40, KN7312 - 7403, KS42, L401, MC22, ME1000 - 1020, ML31 - 40, M22 - 31, NXS41 - 42, PBL04 - 22 - 31, PBS42, PCL22
C00011573	16A	250V	175°C	A2011 - 2012 - 2013 - 2014 - 2211, BL04, CIMEDEL, CIM8, CKE13561, C985 - 987, EHM200 - 201 - 202 - 204 - 304, EH101 - 102 - 103 - 104, FE10 - 20
C00033860	16A	250V	150°C	FG274, FM27, G2V, G3SC, G4ST
C00035295	16A	250V	53/60°C	CM41 - 42, H504 - 842, KG5040 - 9424, KN3048 - 8424, K5046 - 5316 - 6041 - 6044 - 6316 - 6316 - 640 - 6406 - 6408
C00045349	10A	250V	60°C	D3F, E3FX, PF3F
C00052585	16A	250V	150°C	C6V9 - 191 - 192, C648 - 649 - 659, FD51 - 86 - 87, FM10 - 22 - 27 - 51 - 52 - 54 - 57 - 743 - 752 - 771 - 81 - 86 - 87, FS41, G1MD10, G604, HD50 - 87, HGM10, HM27 - 50 - 54 - 55 - 87, K6C8
C00056100	16A	250V	275°C	C057 - 447 - 67 - 75 - 857, PRO84 - 94 - 95
C00066814	16A	250V	150°C	ARC666, CPS6030 - 9040, FLP656, FM23 - 53 - 656 - 956, KP9508 - 647 - 648 - 9507 - 9508, LX800 - 804, MB91, MM10, MR940, SX995, TPG114, XF905 - 995 - 996
C00074273	15A	250V	150°C	CP058 - 059 - 08 - 859 - 956 - 98, C058 - 448 - 648 - 68 - 758 - 858, EG900, KP648
C00078436	16A	250V	260°C	CE6VP5, CE60N1, CX65, C120 - 247 - 30 - 31 - 302 - 312 - 315 - 319 - 320 - 348 - 349, C3VM5 - 3V9, EW12, J052E, K342 - 10 - 132 - 140
C00081783	15A	250V	150°C	D3, E3
C00082365	14A	240V	150°C	CISHB10 - 50, FB20 - 21 - 22 - 51 - 52, FE10 - 20 - 21, FI20 - 22 - 51 - 52 - 55, FM10 - 20, HB10 - 20 - 22 - 50 - 52, HGK150 - 20, HGM2 - 20, HI150 - 20 - 22 - 52, HP22 - 52, PB20 - 21 - 22 - 52
C00089745	16A	250V	150°C	CP965 - 059 - 649 - 955, FP955, KP59 - 958, MB91, MM26, PRO94, XC902, XF905, 10460G
C00121929	16A	250V	300°C	CBI06, CTA06, CUIS800, C606 - 720 - 780 - 786 - 800 - 806 - 816, FBM9, FC116 - 126, FE403 - 4660 - 56, FIM9, FP1806, FSL06, FTA3 - 6, FTB3 - 6, FTL06, FT206, F2026 - 2800 - 2805 - 2806 - 286 - 300 - 3800 - 4016
C00121984	16A	250V	50/250°C	FCH3, RE277, T478 - 4873 - 4879 - 628
C00122003	16A	250V	50/250°C	FCH2, T273 - 4373 - 475 - 4879 - 62E, T62 - 65
C00123191	16A	250V	300°C	C805, F2864 - 2865 - 3805 - 4701 - 4702 - 4864 - 774 - 775
C00124597	16A	250V	300°C	FBM6, FE46, FIM6, FOUR2800, FTA6, FTB6, F2800 - 2806 - 3805 - 3806 - 4706 - 4800 - 4806
C00125886	16A	250V	500°C	CBI06, CTA106, C606 - 720 - 780 - 786 - 800 - 806 - 816, FC116 - 1169212 - 126, FD76, F E403 - 5133, FM45 - 70, FP1806, FSL0692, FS42, FTA6, FTB6, FT45, F2026 - 2806 - 4006 - 4016 - 4806 - 600
C00125887	16A	250V	500°C	CTLS, C223 - 226 - 243 - 246 - 366, FC116, FEH46 - 56, FE46 - 4660 - 5136 - 66 - 816 - 846 - 856, FHH96, F446 - 4816 - 526 - 556 - 826, NWO846
C00130194	16A	250V	30/293°C	C245 - 362 - 364, FEH40 - 44, FE4114 - 4132 - 4134 - 4135 - 4154 - 4155
C00130215	16A	250V	300°C	CTLS, C223 - 226 - 243 - 246 - 366, ERP60, FD76, FEH46 - 56, FE4136 - 48 - 49 - 5133 - 5136 - 569211, FHH86 - 96, FM45 - 70, FS42, FT45, F526 - 556, NWO846
C00135168	16A	250V	370°C	CTLS, C223 - 226 - 243 - 246 - 366, ERP60, FD76, FEH46 - 56, FE403 - 4136 - 5133 - 5136 - 5156 - 816, FM45 - 70, FS42, FT45, F526 - 556, NWO846
C00139063	10A	250V	150°C	CIG534, CIH535, FI414 - 434 - 435 - 514 - 525 - 534 - 624 - 625
C00139064	16A	250V	155°C	CIG534, CIH535, FI414 - 434 - 435 - 525 - 534 - 624 - 625, FP653 - 655
C00139834	16A	250V	550°C	CP649 - 759, C61 - 65, FB86, FC97, FD96 - 97, FO97, HO97, SD97
C00141666	16A	250V	150°C	KD3C1, KD3E1, KD3G11
C00145486	14A	250V	250°C	BS43 - 53, CP649, FIE36, FI31, FPM4, HI56, SC36, SY11 - 36, S036
C00901136	15A	250V	360°C	•



Codice: C00041159

TERMOSTATI COTTURA ELETTRICI

Codice	Ampere	Volt	Temperatura	Su modelli
C00028264	16A	250V	50°C	A2010 - 2011 - 2012, CEH10 - 20, CIEEDEL, CIM2 - 8 - 5, CP649 - 065, EHM200 - 201, EHM201 - 202, EH100 - 101 - 102 - 103 - 104, FE10 - 20 - 21
C00041159	16A	250V	190°C	C14 - 145 - 147 - 244 - 247 - 340 - 344 - 345 - 346 - 347 - 35 - 540 - 544 - 545 - 644 - 645 - 646 - 647 - 942 - 967 - 970 - 980, FG10 - 11 - 21 - 211 - 22, GS84 - 840, G340 - 440
C00059003	10A	250V	250°C	CLEG3600 - 3601 - 3602 - 3603 - 3604, FM23 - 53, MK120 - 160
C00082747	16A	250V	190°C	BS63 - 73, CG64, CISFBGIX - BG, CISFRG0, CI45, CJ22 - 32, CP647 - 757, CX65, C64, FA25, FBCF04, FB97 - 970, FC101 - 87, FD870 - 97, FGIK, FG10, FLL934, FLR934
C00089573	16A	250V	200/220°C	BS43 - 53 - 63 - 73, CISFB21 - 51, CISFD52, CP6 - 64 - 648, EG600, FB11 - 21 - 26 - 36 - 51 - 52 - 56 - 86 - 97 - 970, FCF05, FC52 - 55 - 86 - 87 - 88, FD52 - 87 - 97, FE10 - 20 - 21, FIE36 - 56 - 61 - 76, FI21 - 26 - 31 - 56
C00091821	16A	250V	155°C	CP647 - 757
C00098376	16A	250V	190°C	HCM10 - 60, MCA10, MCH10, MCP5, SCM60
C00121897	16A	250V	250°C	CBI06, CE6 - 60, CISHB10 - 50, CTA06, CX65, C245 - 362 - 364 - 800 - 806 - 816, C6VM3 - P1 - P4 - P6, FBM5 - 20 - 21 - 22 - 51 - 52, FC104 - 114 - 115 - 125, FEH40 - 44, FE10 - 20 - 21 - 4114 - 4132 - 44 - 5135 - 804, FI20 - 22 - 51, FM10 - 20 - 30, FSLO4
C00138993	16A	250V	370°C	FD771 - 772 - 781, FI436 - 526 - 536 - 626
C00139061	16A	250V	230°C	CIG534, CIH535, CI36 - 56 - 76 - 86, CP65 - 75 - 78, CX65, C120 - 30 - 303, C3V3, EG600, EW12, FA26 - 46, FB86, FC97, FD96 - 960 - 961 - 97, FG636 - 64 - 66, FI434 - 435 - 514 - 525 - 534
C00139833	16A	250V	95°C	CP6 - 649 - 65 - 756 - 759, C6 - 61 - 64 - 65, EG600, FA26 - 46, FB62 - 86, FC97, FD96 - 960 - 961
C00139061	16A	250V	230°C	CIG534, CIH535, CI36 - 56 - 76 - 86, CP65 - 75 - 78, CX65, C120 - 30 - 303, C3V3, EG600, EW12, FA26 - 46, FB86, FC97, FD96 - 960 - 961 - 97, FG636 - 64 - 66, FI434 - 435 - 514 - 525 - 534
C00141597	10A	250V	130°C	CX65, FA26, FB62, FC97, FG636 - 66, FL836, FM886, FQ101, FT850, FZ100 - 102 - 62, H60, SE100



Codice: C00141297

TERMOSTATI COTTURA ELETTRICI

Codice	Ampere	Volt	Temperatura	Su modelli
C00049968	16A	250V	130°C	ARC666, BV114, CP965, CP0V9 - 058 - 059 - 08 - 859 - 955 - 956, C058, EFM/90, EG900, ER/60, EX490 - 590 - 595 - 664 - 690 - 695, FL666 - 660, FLP656, FM23 - 53 - 656 - 956, FP955 - 965 - 966, KP9508 - 968, KP9507 - 9508 - 958, MB91, MM26 - 74, MR94, SX995, XF905 - 995 - 996, 10460G
C00059995	16A	250V	145°C	MWH221, MW11 - 21 - 212 - 22 - 222 - 23
C00081599	16A	250V	20/75°C	BS43 - 53 - 63 - 73, CE6VP5, CE60, CISFB21 - 51 - 52, CP059 - 08 - 6V8 - 64 - 648 - 6480 - 649 - 758, C65 - 66 - 66 - 67, EG600 - 900, FB11 - 21 - 26 - 36 - 51 - 52 - 56 - 82 - 86 - 97 - 970, FCF05, FC52 - 55 - 86 - 87, FD52 - 87 - 97, FE10, FIE36
C00138791	10A	250V	145°C	MWAZ322 - 23 - 33, MWI23, MWO30 - 322 - 323
C00139062	16A	250V	57°C	FC86, FI434 - 435 - 525 - 534 - 624 - 625, FP653 - 655, FQ86, FZ86 - 96 - 962, SE861
C00140092	10A	250V	270°C	CIM636
C00140100	10A	250V	130°C	CIG534, CIH535
C00141297	16A	250V	125°C	MWH221
C00141423	10A	250V	•	MWA112 - 121, MWH121
C00141438	10A	250V	•	MWA112

